



## PRE-ADMISSION MEDICATION INFORMATION

Prior to your admission to hospital, it **may** be necessary for you to stop taking certain medications, which are known to affect blood clotting.

Below is a list of medications which you **may** need to stop taking before your hospital admission. Check with your doctor to find out whether you can, or need to, take other medications in their place.

**If you have had Coronary Artery Stents inserted you MUST NOT STOP YOUR MEDICATION without consulting your Cardiologist or Urologist.**

It is also necessary for you to bring all your regular medications into hospital with you, on the day of your admission. If you have any queries please contact the practice nurse at Urology Sydney on **02 9587 4888**.

### PAIN KILLERS CONTAINING ASPIRIN

Action Cold & Flu	Codis	Home Brand Clear Aspirin
Alka Seltzer	Codox	Morphalgin
Aspirin	Codral forte	Solprin
Aspalgin	Codral Cold Tablets	Spren
Aspro Preparations	Decrin Powders	Veganin Subject
Bayer Aspirin	Disprin Forte	Vincent's Powders
Bex Tablets and Powders	Ecotrin	
Codiphen	Herron Aspirin	

### ANTI-INFLAMMATORY MEDICATION

Aclin	Dolobid	Orudis
ACT-3	Feldene	Oruvail
Actiprofen	Fenac	Pirohexal-D
Aleve	Fensaid	Piroxicam
Anaprox	Hexal Diclac	Ponstan
Arthrexin	Ibuprofen	Proxen SR
Arthrotec 50	Indocid	Rafen
Brufen	Inza	Rosig
Bugesic	Ketoprofen	Sulindac
Candyl	Mefic	Surgam
Celebrex	Meloxicam	Tenixicam
Celecoxib	Mobic	Tilcotil
Clinoril	Mobilis	Toradol
Crysanal	Naprogenic	Tri-Profen
Diclofenac	Naprosyn	Vioxx
Diclohexal	Naproxen	Voltaren
Diflunisal	Nurofen	
Dinac	Nurolasts	

### ANTICOAGULANT MEDICATIONS

**Check with your Cardiologist or Urologist before you stop taking these medications. You may need to start other medications when you're not taking these anticoagulant medications.**

Aggrastat	Dindevan	Pradaxa
Arixtra	Effient	Reapro
Asasantin	Fragmin	Thrombotrol – VF
Astrix	Fraxiparine	Ticlid
Calciparin	Isocover	Ticlohexal
Cardiprin	Marevan	Ticlopidine Hexal
Cartia	Orgaran	Tilodene
Clexane	Persantin	Xarelto
Coumadin (Warfarin)	Plavix	

### NATURAL THERAPY PREPARATIONS

You should stop taking all Natural Therapy Preparations as these may interfere with the clotting ability of the blood including FISH OIL/ KRILL OIL and OMEGA 3 supplements.